

## POWER VOLT The Power for your System

**PowerVolt**, a leading supplier of magnetic components, is a group of three companies - PowerVolt, Wabash and Ensign. For over fifty (50) years the group has been dedicated to quality, service and competitive pricing. Specializing in custom and off-the-shelf industry standard transformers, your requirements can be quickly filled by our large inventory or our short lead time production department. Don't forget our three (3) day shipping promise. Customized shipping arrangements can be made to suit each one of our customer's production schedules. Annual contracts are offered to provide pricing below other competitors. Safety agency approvals include UL, CSA, VDE, TUV and CE. All parts are 100% tested.

With a staff of highly experienced Design and Application Engineers, the answer to your design questions is only a phone call away. We welcome any new projects pertaining to magnetics. Please do not hesitate to write, call, fax or email us.





## **Stepping Motor Power Supplies Series STP:**

- Ideal for use with various stepper motor drives
- Integral motor and logic (5Vdc ± 5%) power
- Dual 120/240V switch-selectable input voltage
- UL, CSA, CE Marked



## **Linear Regulated Power Supplies Series BVA:**

- Field selectable input 100/117/220/230-240 VAC
- Single, dual, triple output
- Overload and short circuit protection
- 2 year warranty
- UL, CSA, CE Marked



## **Linear Unregulated Power Supplies Series BVU:**

- Field selectable Input 103/115/126/207/230/253VAC
- Fuse protected output
- Improved Ripple 3% maximum
- 2 year warranty
- UL, CSA, CE Marked



## **Machine Tool Control Transformers Series CT:**

- 25 1500VA Power Rating
- International input/output voltages
- Finger-safe terminals
- Primary / Secondary fuses (optional)
- UL, CSA, CE marked







#### Class 2 UL Recognized



#### Class 2 UL5085-3 Transformer

- 5VA 100VA Power Rating
- Various combination of input voltages available
- Lead Wires and Quick-Connects
- Inherently/Non-Inherently
- UL/cUL 5085-3 Class 2 recognized

#### Class 2 UL Listed



#### Class 2 UL5085-3 Listed Transformer

- 40VA 100VA Power Rating
- Inherently/Non-Inherently Energy limited
- Various combination of input voltages available
- UL/cUL 5085-3 Class 2 listed

#### **International Series**



#### **International Power Transformer**

- 1VA 175VA Power Rating
- Single or dual primary, 115V, 230Vor 115/230V
- Series or parallel secondary
- PC Pins/Quick-Connects/Lead Wires
- UL/cUL, VDE, CE marked

#### **Isolation Transformer**



#### **Split Bobbin Isolation Transformer**

- 1.1VA 36VA Power Rating
- Single Primary, 24V
- Series or parallel secondary
- Low capacitive coupling, no electrostatic shield needed
- UL/cUL, CE marked







# Split Bobbin

#### **Split Bobbin Printed Circuit Transformer**

- 1.1VA 36VA Power Rating
- Single or dual primary, 115V, 115/230V or 230V
- Dual secondary (optional single or center-tapped)
- High efficiency, high isolation, low capacitive coupling
- UL/cUL, CE marked



#### **Low Profile Printed Circuit Transformer**

- 2.5VA 48VA Power Rating
- Series or parallel primary, 115/230V
- Series/Parallel secondary
- High efficiency, high isolation, low capacitive coupling
- UL/cUL, CE marked



#### **Small Size PC Board Power Transformer**

- 1.0VA 24VA Power Rating
- Single or dual primary, 115V or 115/230V
- Series or parallel secondary
- UL/cUL, CE Marked



#### **Compact Power Transformer**

- 2.4VA 100VA Power Rating
- Single or dual primary, 115V, 115/230V or 230V
- Center-tapped secondary (optional single or dual)
- High Efficiency, high isolation, low capacitive coupling
- UL/cUL, CE marked





